

## Section 23

# Hydraulic Filtration

PAGE

1

Parker Hydraulic  
Filtration &  
Accessories



Catalogue



### TTF Low Pressure Magnetic Tank Mtd Return Filter - 10 Micron - 90 to 500 Lpm

KL Quick Code: **5714**

LEIF Element c/w Reusable Metal Element Sleeve 1.5 Bar Bypass 10 Bar Rated



New



Part Number	BSPP Female Thread	Flow l/min	Price
TTF310QLBG1EG121	G3/4	90	147.88
TTF510QLBG1EG161	G1	150	187.50
TTF610QLBG1EG203	G1.1/4	170	273.73
TTF810QLBG1EG243	G1.1/2	300	333.69
TTF1010QLBP2HG24A	G1.1/2	500	388.77

### TPR -Low Pressure Tank Mtd Return Filter c/w Air Breather - 10 Micron ABS

KL Quick Code: **5715**

c/w Magnetic Column 10 Bar Rated 1.5 Bar Bypass



New



Part Number	Flow l/min	Price
TPR110QLBG2EG121	40	107.42

### TPR Tanktopper Return Element - 10 Micron ABS

KL Quick Code: **5716**



New



Part Number	Flow l/min	Price
937902Q	40	29.03

### TTF Element - 90 to 500 Lpm - 10 Micron ABS

PQ Quick Code: **5717**

LEIF Element c/w Reusable Metal Element Sleeve 10 Bar Rated



New



Part Number	Flow l/min	Price
937878Q	90	42.20
937852Q	150	66.10
937853Q	170	76.52
937855Q	300	94.58
937857Q	500	120.00

### Maxiflow - Low Pressure Spin on Return line Filters 70 & 180 Lpm

PQ Quick Code: **5718**



New



Part Number	BSPP Female Thread	Flow l/min	Price
MXA1210CBG2GG121	G3/4	70	83.06
MXA2310CBG2GG201	G1.1/4	180	119.44

### Maxiflow - Spin on Element - 65 to 180 Lpm - 10 Micron ABS

PQ Quick Code: **5719**



New



Part Number	Flow l/min	Price
MXR8550	65	67.58
MX1518410X4	70	91.68
MXR9550	160	116.98
MX1591410X4	180	151.14

### GMF iprotect Medium Pressure Filter - 70 Bar - 75 to 470 Lpm - 3.5 Bar Bypass

AR Quick Code: **5720**

The Patented iprotect Elements are supplied c/w Quantum Fiberfilter Media 10 Micron Absolute



New



Part Number	BSPP Female Thread	Flow l/min	Price
GMF2110QIVM3KG164	G1	75	207.52
GMF2210QIVM3KG164	G1	100	237.20
GMF3210QIVM3KG244	G1.1/2	260	368.59
GMF4110QIVM3KG324	G2	470	659.96

### GMF iprotect Element - 10 Micron ABS - 75 to 470 Lpm

AR Quick Code: **5721**

The Patented iprotect Elements are supplied c/w Quantum Fiberfilter Media



New



Part Number	Flow l/min	Price
938897Q	75	54.41
938901Q	100	68.16
938909Q	260	116.13
938913Q	470	176.77

### Parker Filter Condition Indicator

AR Quick Code: **5722**

420 Bar Rated 1/4 Bsp Threaded



New



Part Number	Price
FMUT1KVM508	138.15



### EPF iprotect In Line Pressure Filter - 450 Bar - 10 Micron - 40 to 450 Lpm

AR Quick Code: 5723

The Patented iprotect Elements are supplied c/w Quantum Fiberfilter Media



New



Part Number	BSPF Female Thread	Flow l/min	Price
EPF1110QIBM3MG081	G1/2	40	278.27
EPF2210QIBM3MG121	G3/4	140	348.34
EPF3210QIBM3MG161	G1	250	438.25
EPF4210QIBM3MG241	G1.1/2	450	650.14

### EPF - iprotect Element - 40 to 250 Lpm - 10 Micron ABS

PQ Quick Code: 5724

The Patented iprotect Elements are supplied c/w Quantum Fiberfilter Media



New



Part Number	Flow l/min	Price
944420Q	40	54.30
944432Q	140	85.30
944440Q	250	113.96

### Parker Par Fit to Pall Interchange Elements

SQ Quick Code: 5725

Par Fit are directly interchangeable with competitor elements. Conform to ISO standards relating to collapse/burst resistance. Par Fit elements match and often surpass the efficiency of original elements.



New



Part Number	Pall Part No	Price
PR3437Q	HC9600FKS4H	81.14
PR3438Q	HC9600FKS8H	101.69
PR3440Q	HC9600FKT4H	58.47
PR3441Q	HC9600FKT8H	77.12
PR3444Q	HC9020FKT4H	52.54
PR3446Q	HC9020FKT8H	66.31
925580Q	HC9020FKS4H	53.18
925600Q	HC9020FKS8H	72.46
926839Q	HC9600FKS13H	131.99
926845Q	HC9600FKN13H	144.07
930193Q	HC9800FKS8H	72.46

### Parker Par Fit to Hydac Interchange Elements

SQ Quick Code: 5726

Par Fit are directly interchangeable with competitor elements. Conform to ISO standards relating to collapse/burst resistance. Par Fit elements match and often surpass the efficiency of original elements



New



Part Number	Hydac Part No	Price
PR3116Q	0160D010BN4HC	49.15
PR3117Q	0160D020BN4HC	49.15
PR3145Q	0240D010BN4HC	65.47
PR3146Q	0240D020BN4HC	65.47
938267Q	0110R010BN4HC	33.69
938271Q	0160R010BN4HC	42.37
938275Q	0165R010BN4HC	38.14
938276Q	0165R020BN4HC	38.14
938279Q	0240R010BN4HC	65.89
938283Q	0330R010BN4HC	82.42
938291Q	0660R010BN4HC	128.18

### EAB Reservoir Environmental Air Breather & Elements

AR Quick Code: 5727

Environmental Air Breathers and Elements.



New



Part Number	Description	Price
EAB20P020HC73	EAB Reservoir Air Breather	50.77
EAC20P020	EAB Replacement Element	22.25

### IP65 Single Hole Filler Breather with 95mm Strainer

AR Quick Code: **5728**

Single Hole Filler Breather.



New



Part Number	Description	Price
AB98210011	Single Hole Breather with 95mm Strainer	19.28

### IP65 Single Hole Filler Breather with Telescopic Strainer

AR Quick Code: **5729**

Single Hole Breather c/w Telescopic Strainer.



New



Part Number	Description	Price
AB98210021	Single Hole Breather with Telescopic Strainer	19.92

### IP65 Unpressurised Screw On Air Breather

AR Quick Code: **5730**

Screw on Breather.



New



Part Number	Description	Thread BSPP	Price
AB98610101	Unpressurised Screw on Breather	1/2"	13.56
AB98410101	Unpressurised Screw on Breather	3/4"	13.56

### Threaded Metal Unpressurised Air Breather

AR Quick Code: **5731**

Metal screw on Breather.



New



Part Number	Description	Thread BSPP	Price
SAB.1562.10	Threaded Metal Unpressurised Breather	3/4"	20.76

### Parker Fluid Level & Temperature Gauges Sizes 1-3

KL Quick Code: **5732**

For Reservoir installation with inclusive temperature gauge. Manufactured in transparent polyamide Nylon 69 and high impact polystyrene with nitrile seals. No aluminium content. Operating pressure: Max 1 bar. Operating temperature: -30 deg C - +90 deg C. Thermometer scale range: -30 deg c - +90 deg C. Indicator: Blue alcohol.



New



Part Number	Size	Metric Female Thread	Centres	Price
FL69121	1	M10	76mm	20.99
FL69123	1	M12	76mm	20.99
FL69221	2	M10	127mm	25.00
FL69223	2	M12	127mm	25.00
FL69321	3	M10	254mm	30.66
FL69323	3	M12	254mm	30.66